







Order no.: 167110

Mobile scaffolding,  
1.35 × 2.45 m, with  
inclined ascents. Platform  
height 2.51 m




### Accessories for the product family







Order no.: 027930  
**Platform without flap**  
For scaffolding length: 2.45 m




Order no.: 027911  
**Toe board front side**  
For scaffolding width: 1.35 m




Order no.: 027914  
**Toe board long side**  
For scaffolding length: 2.45 m




Order no.: 027963  
**Inclined ascent below**  
For stair scaffolding For scaffolding length: 2.45 m




Order no.: 027967  
**Top handrail for mobile scaffolding with inclined ascent**  
For scaffolding length: 2.45 m




Order no.: 027908  
**Diagonal brace**  
2.45 m




Order no.: 027907  
**Horizontal strut**  
For scaffolding length: 2.45 m



Order no.: 027917  
**Swivel castor with spindle**  
height adjustable Ø 200 mm




Order no.: 027940  
**Step-on bracket**




Order no.: 027912  
**Ballast weight with hanging brackets**  
RAL 1021




Order no.: 019081  
**Clip tray for tubes**  
Ø 50 mm




Order no.: 027920  
**Wall spacer adjustable**  
Adjustable up to 1.0 m



Order no.: 070506  
**Frame extension**  
can be clamped on  
Adjustment range max. 400 mm



Order no.: 019274  
**Storage tray 500 x 220 mm**  
Clamping range 38–51 mm



Order no.: 019276  
**Storage tray 800 x 300 mm**  
Clamping range 38–51 mm



Order no.: 019175

Inspection sticker  
40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 070508

Safety door on  
front side Push-fit  
frame 1.35



Order no.: 070522

Scaffolding  
connector set For  
scaffolding width:  
1.35 m



Order no.: 019136

Spring clip for  
mobile scaffolding  
with short pin,  
closed



Order no.: 070520

Scaffolding strut  
telescopic 2,120–  
3,400 mm



Order no.: 027104

Height-adjustable  
spindle



Order no.: 027922

Swivel castor with  
spindle, non-  
marking grey height  
adjustable Ø 200  
mm



Order no.: 027921

Swivel castor with  
spindle, electrically  
conductive height  
adjustable Ø 200  
mm



Order no.: 027958

Swivel castor Ø  
200 mm With  
parking brake and  
pin



Order no.: 027902

Push-fit frame, 1.35  
m. Height: 1.00 m