


Order no.: 167120

Mobile scaffolding,
1.35 × 3.0 m, with
inclined ascents. Platform
height 2.51 m




Accessories for the product family




Order no.: 027994

Safety railing for
mobile scaffolding




Order no.: 027928

Entry frame For
scaffolding width:
1.35 m




Order no.: 027901

Push-fit frame, 1.35
m. Height: 2.00 m




Order no.: 027957

Railing lengthwise
3,000 mm




Order no.: 027986


Platform with
longitudinal flap
For scaffolding
length: 3.0 m




Order no.: 027934
Platform without flap
For scaffolding length: 3.0 m




Order no.: 027911
Toe board front side
For scaffolding width: 1.35 m




Order no.: 027944
Toe board long side
For scaffolding length: 3.0 m




Order no.: 027965
Inclined ascent below
For stair scaffolding For scaffolding length: 3.0 m




Order no.: 027968
Top handrail for mobile scaffolding with inclined ascent
For scaffolding length: 3.0 m




Order no.: 027938
Diagonal brace 3 m




Order no.: 027936
Horizontal strut
For scaffolding length: 3.0 m



Order no.: 027917
Swivel castor with spindle
height adjustable Ø 200 mm




Order no.: 027940
Step-on bracket




Order no.: 027912
Ballast weight with hanging brackets
RAL 1021



Order no.: 019081
Clip tray for tubes
Ø 50 mm




Order no.: 027920
Wall spacer adjustable
Adjustable up to 1.0 m



Order no.: 070506
Frame extension
can be clamped on
Adjustment range max. 400 mm



Order no.: 019274
Storage tray 500 x 220 mm
Clamping range 38–51 mm



Order no.: 019276
Storage tray 800 x 300 mm
Clamping range 38–51 mm



Order no.: 019175

Inspection sticker
40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 070508

Safety door on
front side Push-fit
frame 1.35



Order no.: 070522

Scaffolding
connector set For
scaffolding width:
1.35 m



Order no.: 019136

Spring clip for
mobile scaffolding
with short pin,
closed



Order no.: 070520

Scaffolding strut
telescopic 2,120–
3,400 mm



Order no.: 027104

Height-adjustable
spindle



Order no.: 027922

Swivel castor with
spindle, non-
marking grey height
adjustable Ø 200
mm



Order no.: 027921

Swivel castor with
spindle, electrically
conductive height
adjustable Ø 200
mm



Order no.: 027958

Swivel castor Ø
200 mm With
parking brake and
pin



Order no.: 027902

Push-fit frame, 1.35
m. Height: 1.00 m