


Order no.: 173235


Mobile scaffolding,  
1.35 × 1.80 m, with  
double platform. Platform  
height 2.51 m




### Accessories for the product family




Order no.: 027992  
Safety railing for mobile scaffolding




Order no.: 027901  
Push-fit frame, 1.35 m. Height: 2.00 m




Order no.: 027955  
Railing lengthwise 1,800 mm




Order no.: 027931  
Platform with trapdoor For scaffolding length: 1.8 m




Order no.: 027932  
Platform without flap For scaffolding length: 1.8 m




Order no.: 027911  
**Toe board front side**  
For scaffolding  
width: 1.35 m




Order no.: 027943  
**Toe board long side**  
For scaffolding  
length: 1.8 m




Order no.: 027937  
**Diagonal brace 1.8 m**




Order no.: 027935  
**Horizontal strut** For  
scaffolding length:  
1.8 m



Order no.: 027917  
**Swivel castor with spindle height adjustable** Ø 200 mm




Order no.: 027940  
**Step-on bracket**




Order no.: 027912  
**Ballast weight with hanging brackets**  
RAL 1021




Order no.: 019081  
**Clip tray for tubes**  
Ø 50 mm




Order no.: 027920  
**Wall spacer adjustable**  
Adjustable up to  
1.0 m




Order no.: 070506  
**Frame extension can be clamped on**  
Adjustment range  
max. 400 mm




Order no.: 019274  
**Storage tray 500 x 220 mm** Clamping  
range 38–51 mm




Order no.: 019276  
**Storage tray 800 x 300 mm** Clamping  
range 38–51 mm



Order no.: 019175  
**Inspection sticker**  
40 x 40 mm



Order no.: 019176  
**Inventory sticker**



Order no.: 070508  
**Safety door on front side** Push-fit  
frame 1.35



Order no.: 070522

Scaffolding connector set For scaffolding width: 1.35 m



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 070524

Scaffolding strut telescopic 1,700–2,500 mm



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027902

Push-fit frame, 1.35 m. Height: 1.00 m