





Order no.: 173237

**Mobile scaffolding SG**  
**1.35 × 1.8 m with double**  
**platform platform height**  
**2.51 m**


**Accessories for the product family**




Order no.: 027992  
Safety railing for mobile scaffolding




Order no.: 027901  
Push-fit frame, 1.35 m. Height: 2.00 m




Order no.: 027955  
Railing lengthwise 1,800 mm




Order no.: 027931  
Platform with trapdoor For scaffolding length: 1.8 m




Order no.: 027932  
Platform without flap For scaffolding length: 1.8 m




Order no.: 027911  
Toe board front side  
For scaffolding width:  
1.35 m




Order no.: 027943  
Toe board long side  
For scaffolding length:  
1.8 m




Order no.: 027937  
Diagonal brace 1.8  
m




Order no.: 027935  
Horizontal strut  
For scaffolding  
length: 1.8 m



Order no.: 027917  
Swivel castor with  
spindle height  
adjustable Ø 200  
mm




Order no.: 027940  
Step-on bracket



Order no.: 027912  
Ballast weight with  
hanging brackets  
RAL 1021




Order no.: 019081  
Clip tray for tubes  
Ø 50 mm




Order no.: 027920  
Wall spacer  
adjustable  
Adjustable up to  
1.0 m




Order no.: 070506  
Frame extension  
can be clamped on  
Adjustable range  
max. 400 mm




Order no.: 019274  
Storage tray 500 x  
220 mm Clamping  
range 38-51 mm




Order no.: 019276  
Storage tray 800 x  
300 mm Clamping  
range 38-51 mm



Order no.: 019175  
Inspection sticker  
40 x 40 mm



Order no.: 019176  
Inventory sticker



Order no.: 019136  
Spring clip for  
mobile scaffolding  
with short pin,  
closed



Order no.: 070524

Scaffolding strut  
telescopic 1,700–  
2,500 mm



Order no.: 027104

Height-adjustable  
spindle



Order no.: 027922

Swivel castor with  
spindle, non-  
marking grey  
height adjustable  
Ø 200 mm



Order no.: 027921

Swivel castor with  
spindle,  
electrically  
conductive height  
adjustable Ø 200  
mm



Order no.: 027958

Swivel castor Ø  
200 mm With  
parking brake and  
pin



Order no.: 027902

Push-fit frame,  
1.35 m. Height:  
1.00 m