







Order no.: 174237

Mobile scaffolding SG
1.35 × 2.45 m with double
platform platform height
2.51 m




Accessories for the product family







Order no.: 027911
Toe board front side
For scaffolding
width: 1.35 m




Order no.: 027914
Toe board long side
For scaffolding
length: 2.45 m




Order no.: 027908
Diagonal brace
2.45 m




Order no.: 027907
Horizontal strut For
scaffolding length:
2.45 m




Order no.: 027917
**Swivel castor with
spindle height
adjustable Ø 200
mm**




Order no.: 027940
Step-on bracket




Order no.: 027912
**Ballast weight with
hanging brackets
RAL 1021**




Order no.: 019081
Clip tray for tubes
Ø 50 mm




Order no.: 027920
**Wall spacer
adjustable
Adjustable up to
1.0 m**




Order no.: 070506
**Frame extension
can be clamped on
Adjustment range
max. 400 mm**




Order no.: 019274
**Storage tray 500 x
220 mm Clamping
range 38–51 mm**




Order no.: 019276
**Storage tray 800 x
300 mm Clamping
range 38–51 mm**



Order no.: 019175
Inspection sticker
40 x 40 mm



Order no.: 019176
Inventory sticker



Order no.: 019136
**Spring clip for
mobile scaffolding
with short pin,
closed**



Order no.: 070520

Scaffolding strut
telescopic 2,120–
3,400 mm



Order no.: 027104

Height-adjustable
spindle



Order no.: 027922

Swivel castor with
spindle, non-
marking grey height
adjustable Ø 200
mm



Order no.: 027921

Swivel castor with
spindle, electrically
conductive height
adjustable Ø 200
mm



Order no.: 027958

Swivel castor Ø
200 mm With
parking brake and
pin



Order no.: 027902

Push-fit frame, 1.35
m. Height: 1.00 m