


Order no.: 173437


**Mobile scaffolding SG
1.35 × 1.8 m with
chassis bar & double
platform platform height
4.66 m**




Accessories for the product family




Order no.: 027992
Safety railing for mobile scaffolding

A safety railing for mobile scaffolding, consisting of a horizontal bar and two vertical posts, with yellow safety caps on the ends.


Order no.: 027901
Push-fit frame, 1.35 m. Height: 2.00 m

A push-fit frame for mobile scaffolding, consisting of a vertical bar and several horizontal bars, with a height of 2.00 m.

Order no.: 027955
Railing lengthwise 1,800 mm
















A railing lengthwise for mobile scaffolding, consisting of a horizontal bar and two vertical posts, with a length of 1,800 mm.

Order no.: 027931
Platform with trapdoor For scaffolding length: 1.8 m

A platform with a trapdoor for mobile scaffolding, consisting of a dark brown platform and a central trapdoor, with a length of 1.8 m.

Order no.: 027932
Platform without flap For scaffolding length: 1.8 m

A platform without a flap for mobile scaffolding, consisting of a dark brown platform, with a length of 1.8 m.





Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 070524

Scaffolding strut telescopic 1,700-2,500 mm



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027902

Push-fit frame, 1.35 m. Height: 1.00 m