


Order no.: 171236


Mobile scaffolding SG
0.75 × 2.45 m platform
height 2.51 m




Accessories for the product family




Order no.: 027993
Safety railing for mobile scaffolding




Order no.: 027904
Push-fit frame, 0.75 m. Height: 2.00 m




Order no.: 027956
Railing lengthwise 2,450 mm




Order no.: 027910
Platform with trapdoor For scaffolding length: 2.45 m




Order no.: 027913
Toe board front side For scaffolding width: 0.75 m




Order no.: 027914
Toe board long side
For scaffolding
length: 2.45 m




Order no.: 027908
Diagonal brace
2.45 m




Order no.: 027907
Horizontal strut For
scaffolding length:
2.45 m




Order no.: 027917
Swivel castor with
spindle height
adjustable Ø 200
mm




Order no.: 027940
Step-on bracket




Order no.: 027912
Ballast weight with
hanging brackets
RAL 1021




Order no.: 019081
Clip tray for tubes
Ø 50 mm




Order no.: 027920
Wall spacer
adjustable
Adjustable up to
1.0 m




Order no.: 070506
Frame extension
can be clamped on
Adjustment range
max. 400 mm




Order no.: 019274
Storage tray 500 x
220 mm Clamping
range 38–51 mm




Order no.: 019276
Storage tray 800 x
300 mm Clamping
range 38–51 mm




Order no.: 019175
Inspection sticker
40 x 40 mm



Order no.: 019176
Inventory sticker



Order no.: 019136
Spring clip for
mobile scaffolding
with short pin,
closed



Order no.: 070520
Scaffolding strut
telescopic 2,120–
3,400 mm



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027905

Push-fit frame, 0.75 m. Height: 1.00 m