

Order no.: 172236






Mobile scaffolding SG


0.75 × 3 m platform

height 2.51 m




Accessories for the product family







Order no.: 027944
Toe board long side
For scaffolding
length: 3.0 m




Order no.: 027938
Diagonal brace 3 m




Order no.: 027936
Horizontal strut For
scaffolding length:
3.0 m




Order no.: 027917
Swivel castor with
spindle height
adjustable Ø 200
mm




Order no.: 027940
Step-on bracket




Order no.: 027912
Ballast weight with
hanging brackets
RAL 1021




Order no.: 019081
Clip tray for tubes
Ø 50 mm




Order no.: 027920
Wall spacer
adjustable
Adjustable up to
1.0 m




Order no.: 070506
Frame extension
can be clamped on
Adjustment range
max. 400 mm




Order no.: 019274
Storage tray 500 x
220 mm Clamping
range 38–51 mm




Order no.: 019276
Storage tray 800 x
300 mm Clamping
range 38–51 mm




Order no.: 019175
Inspection sticker
40 x 40 mm



Order no.: 019176
Inventory sticker



Order no.: 019136
Spring clip for
mobile scaffolding
with short pin,
closed



Order no.: 070520
Scaffolding strut
telescopic 2,120–
3,400 mm



Order no.: 027104

**Height-adjustable
spindle**



Order no.: 027922

**Swivel castor with
spindle, non-
marking grey height
adjustable Ø 200
mm**



Order no.: 027921

**Swivel castor with
spindle, electrically
conductive height
adjustable Ø 200
mm**



Order no.: 027958

**Swivel castor Ø
200 mm With
parking brake and
pin**



Order no.: 027905

**Push-fit frame, 0.75
m. Height: 1.00 m**