



Order no.: 154344

Mobile scaffolding SG
0.75 × 1.8 m with
chassis bar platform
height 3.26 m

Accessories for the product family



Order no.: 027992

Safety railing for mobile scaffolding



Order no.: 027905

Push-fit frame, 0.75 m. Height: 1.00 m



Order no.: 027904

Push-fit frame, 0.75 m. Height: 2.00 m



Order no.: 027918

Push-fit frame, 0.75 m. Height: 0.5 m



Order no.: 027955

Railing lengthwise 1,800 mm



Order no.: 027931

Platform with trapdoor For scaffolding length: 1.8 m



Order no.: 027913

Toe board front side For scaffolding width: 0.75 m



Order no.: 027943

Toe board long side For scaffolding length: 1.8 m



Order no.: 027937

Diagonal brace 1.8 m



Order no.: 027935

Horizontal strut For scaffolding length: 1.8 m



Order no.: 027923

Chassis bar 2 m



Order no.: 027917

Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940

Step-on bracket




Order no.: 027912

Ballast weight with hanging brackets RAL 1021




Order no.: 019081


Clip tray for tubes Ø 50 mm




Order no.: 027920
Wall spacer adjustable
Adjustable up to 1.0 m




Order no.: 070506
Frame extension can be clamped on
Adjustment range max. 400 mm




Order no.: 019274
Storage tray 500 x 220 mm Clamping range 38-51 mm




Order no.: 019276
Storage tray 800 x 300 mm Clamping range 38-51 mm




Order no.: 019175
Inspection sticker 40 x 40 mm




Order no.: 019176
Inventory sticker




Order no.: 019136
Spring clip for mobile scaffolding with short pin, closed




Order no.: 070524
Scaffolding strut telescopic 1,700-2,500 mm




Order no.: 027104
Height-adjustable spindle



Order no.: 027922
Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921
Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958
Swivel castor Ø 200 mm With parking brake and pin