





Order no.: 154344

**Mobile scaffolding SG**  
0.75 × 1.8 m with chassis  
bar platform height 3.26  
m


### Accessories for the product family




Order no.: 027992  
**Safety railing for mobile scaffolding**




Order no.: 027905  
**Push-fit frame, 0.75 m. Height: 1.00 m**




Order no.: 027904  
**Push-fit frame, 0.75 m. Height: 2.00 m**




Order no.: 027918  
**Push-fit frame, 0.75 m. Height: 0.5 m**




Order no.: 027955  
**Railing lengthwise 1,800 mm**




Order no.: 027931  
**Platform with trapdoor For scaffolding length: 1.8 m**




Order no.: 027913  
**Toe board front side For scaffolding width: 0.75 m**




Order no.: 027943  
**Toe board long side For scaffolding length: 1.8 m**




Order no.: 027937  
**Diagonal brace 1.8 m**




Order no.: 027935  
**Horizontal strut For scaffolding length: 1.8 m**




Order no.: 027923  
**Chassis bar 2 m**




Order no.: 027917  
**Swivel castor with spindle height adjustable Ø 200 mm**




Order no.: 027940  
**Step-on bracket**



Order no.: 027912  
**Ballast weight with hanging brackets RAL 1021**




Order no.: 019081  
**Clip tray for tubes Ø 50 mm**




Order no.: 027920  
**Wall spacer adjustable Adjustable up to 1.0 m**




Order no.: 070506  
**Frame extension can be clamped on Adjustment range max. 400 mm**




Order no.: 019274  
**Storage tray 500 x 220 mm Clamping range 38–51 mm**




Order no.: 019276  
**Storage tray 800 x 300 mm Clamping range 38–51 mm**




Order no.: 019175  
**Inspection sticker 40 x 40 mm**




Order no.: 019176  
**Inventory sticker**




Order no.: 019136  
**Spring clip for mobile scaffolding with short pin, closed**



Order no.: 070524  
**Scaffolding strut telescopic 1,700–2,500 mm**



Order no.: 027104  
**Height-adjustable spindle**



Order no.: 027922  
**Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm**



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin