


Order no.: 155349


**Mobile scaffolding SG  
0.75 × 2.45 m with  
outrigger platform  
height 3.07 m**




## Accessories for the product family




Order no.: 027993  
Safety railing for mobile scaffolding




Order no.: 027904  
Push-fit frame, 0.75 m. Height: 2.00 m




Order no.: 027918  
Push-fit frame, 0.75 m. Height: 0.5 m




Order no.: 027956  
Railing lengthwise 2,450 mm




Order no.: 027910  
Platform with trapdoor For scaffolding length: 2.45 m




Order no.: 027913  
Toe board front side For scaffolding width: 0.75 m




Order no.: 027914  
Toe board long side For scaffolding length: 2.45 m




Order no.: 027908  
Diagonal brace 2.45 m




Order no.: 027907  
Horizontal strut For scaffolding length: 2.45 m




Order no.: 027926  
Triangular outrigger



Order no.: 027917  
Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940  
Step-on bracket




Order no.: 027912  
Ballast weight with hanging brackets RAL 1021




Order no.: 019081  
Clip tray for tubes Ø 50 mm




Order no.: 027920  
Wall spacer adjustable Adjustable up to 1.0 m




Order no.: 070506  
Frame extension can be clamped on Adjustment range max. 400 mm




Order no.: 019274  
Storage tray 500 x 220 mm Clamping range 38-51 mm




Order no.: 019276  
Storage tray 800 x 300 mm Clamping range 38-51 mm




Order no.: 019175  
Inspection sticker 40 x 40 mm




Order no.: 019176  
Inventory sticker




Order no.: 019136  
Spring clip for mobile scaffolding with short pin, closed




Order no.: 019137  
Spring clip for mobile scaffolding with long pin, open




Order no.: 070520  
Scaffolding strut telescopic 2,120-3,400 mm




Order no.: 027104  
Height-adjustable spindle




Order no.: 027922  
Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921  
Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958  
Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027905  
Push-fit frame, 0.75 m. Height: 1.00 m