


Order no.: 169439


**Mobile scaffolding SG
1.35 × 3 m with
outrigger & double
platform platform height
4.47 m**




Accessories for the product family




Order no.: 027994
Safety railing for mobile scaffolding




Order no.: 027901
Push-fit frame, 1.35 m. Height: 2.00 m




Order no.: 027957
Railing lengthwise 3,000 mm




Order no.: 027933
Platform with trapdoor For scaffolding length: 3.0 m




Order no.: 027934
Platform without flap For scaffolding length: 3.0 m




Order no.: 027911
Toe board front side
For scaffolding width:
1.35 m




Order no.: 027944
Toe board long side
For scaffolding length:
3.0 m




Order no.: 027938
Diagonal brace 3 m




Order no.: 027936
Horizontal strut
For scaffolding
length: 3.0 m




Order no.: 027926
Triangular
outrigger




Order no.: 027917
Swivel castor with
spindle height
adjustable Ø 200
mm




Order no.: 027940
Step-on bracket




Order no.: 027912
Ballast weight with
hanging brackets
RAL 1021




Order no.: 019081
Clip tray for tubes
Ø 50 mm




Order no.: 027920
Wall spacer
adjustable
Adjustable up to
1.0 m




Order no.: 070506
Frame extension
can be clamped on
Adjustment range
max. 400 mm




Order no.: 019274
Storage tray 500 x
220 mm Clamping
range 38-51 mm



Order no.: 019276
Storage tray 800 x
300 mm Clamping
range 38-51 mm



Order no.: 019175
Inspection sticker
40 x 40 mm



Order no.: 019176
Inventory sticker



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 019137

Spring clip for mobile scaffolding with long pin, open



Order no.: 070520

Scaffolding strut telescopic 2,120-3,400 mm



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027902

Push-fit frame, 1.35 m. Height: 1.00 m