


Order no.: 167201


**Mobile scaffolding SG
1.35 × 1.8 m with
inclined ascents &
outrigger platform
height 4.47 m**




Accessories for the product family




Order no.: 027992
Safety railing for mobile scaffolding




Order no.: 027928
Entry frame For scaffolding width: 1.35 m




Order no.: 027901
Push-fit frame, 1.35 m. Height: 2.00 m




Order no.: 027955
Railing lengthwise 1,800 mm




Order no.: 027970
Platform with longitudinal flap For scaffolding length: 1.8 m




Order no.: 027932
Platform without flap For scaffolding length: 1.8 m




Order no.: 027911
Toe board front side For scaffolding width: 1.35 m




Order no.: 027943
Toe board long side For scaffolding length: 1.8 m



Order no.: 027961
Inclined ascent below For stair scaffolding For scaffolding length: 1.8 m




Order no.: 027962
Inclined ascent For stair scaffolding For scaffolding length: 1.8 m




Order no.: 027929

Handrail for mobile scaffolding with inclined ascent For scaffolding length: 1.8 m




Order no.: 027939

Top handrail for mobile scaffolding with inclined ascent For scaffolding length: 1.8 m




Order no.: 027937

Diagonal brace 1.8 m




Order no.: 027935

Horizontal strut For scaffolding length: 1.8 m




Order no.: 027926

Triangular outrigger




Order no.: 027917

Swivel castor with spindle height adjustable Ø 200 mm



Order no.: 027940

Step-on bracket




Order no.: 027912

Ballast weight with hanging brackets RAL 1021




Order no.: 019081

Clip tray for tubes Ø 50 mm




Order no.: 027920

Wall spacer adjustable Adjustable up to 1.0 m




Order no.: 070506

Frame extension can be clamped on Adjustment range max. 400 mm




Order no.: 019274

Storage tray 500 x 220 mm Clamping range 38-51 mm




Order no.: 019276

Storage tray 800 x 300 mm Clamping range 38-51 mm



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 019137

Spring clip for mobile scaffolding with long pin, open



Order no.: 070524

Scaffolding strut
telescopic 1,700–
2,500 mm



Order no.: 027104

Height-adjustable
spindle



Order no.: 027922

Swivel castor with
spindle, non-
marking grey
height adjustable
Ø 200 mm



Order no.: 027921

Swivel castor with
spindle,
electrically
conductive height
adjustable Ø 200
mm



Order no.: 027958

Swivel castor Ø
200 mm With
parking brake and
pin



Order no.: 019176

Inventory sticker



Order no.: 019175

Inspection sticker
40 x 40 mm



Order no.: 027902

Push-fit frame,
1.35 m. Height:
1.00 m