


Order no.: 167201


**Mobile scaffolding SG
1.35 × 1.8 m with
inclined ascents &
outrigger platform
height 4.47 m**




Accessories for the product family




Order no.: 027992
Safety railing for mobile scaffolding




Order no.: 027928
Entry frame For scaffolding width: 1.35 m




Order no.: 027901
Push-fit frame, 1.35 m. Height: 2.00 m




Order no.: 027955
Railing lengthwise 1,800 mm




Order no.: 027970
Platform with longitudinal flap For scaffolding length: 1.8 m




Order no.: 027932
Platform without flap For scaffolding length: 1.8 m




Order no.: 027911
Toe board front side For scaffolding width: 1.35 m




Order no.: 027943
Toe board long side For scaffolding length: 1.8 m




Order no.: 027961
Inclined ascent below For stair scaffolding For scaffolding length: 1.8 m




Order no.: 027962
Inclined ascent For stair scaffolding For scaffolding length: 1.8 m




Order no.: 027929
Handrail for mobile scaffolding with inclined ascent For scaffolding length: 1.8 m




Order no.: 027939
Top handrail for mobile scaffolding with inclined ascent For scaffolding length: 1.8 m




Order no.: 027937
Diagonal brace 1.8 m




Order no.: 027935
Horizontal strut For scaffolding length: 1.8 m




Order no.: 027926
Triangular outrigger



Order no.: 027917
Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940
Step-on bracket




Order no.: 027912
Ballast weight with hanging brackets RAL 1021




Order no.: 019081
Clip tray for tubes Ø 50 mm




Order no.: 027920
Wall spacer adjustable Adjustable up to 1.0 m




Order no.: 070506
Frame extension can be clamped on Adjustment range max. 400 mm




Order no.: 019274
Storage tray 500 x 220 mm Clamping range 38-51 mm




Order no.: 019276
Storage tray 800 x 300 mm Clamping range 38-51 mm




Order no.: 019136
Spring clip for mobile scaffolding with short pin, closed




Order no.: 019137
Spring clip for mobile scaffolding with long pin, open




Order no.: 070524
Scaffolding strut telescopic 1,700-2,500 mm



Order no.: 027104
Height-adjustable spindle




Order no.: 027922
Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm




Order no.: 027921
Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm




Order no.: 027958
Swivel castor Ø 200 mm With parking brake and pin



Order no.: 019176
Inventory sticker



Order no.: 019175
Inspection sticker 40 x 40 mm



Order no.: 027902
Push-fit frame, 1.35 m. Height: 1.00 m