



Order no.: 115134


**Folding scaffolding SG
0.75 x 1.80 m with
outrigger Platform
height 4.04 m**




Accessories for the product family




Order no.: 027992
Safety railing for mobile scaffolding




Order no.: 027971
Folding frame unit, 0.75 m For scaffolding length: 1.8 m



Order no.: 027904
Push-fit frame, 0.75 m. Height: 2.00 m



Order no.: 027955
Railing lengthwise 1,800 mm



Order no.: 027931
Platform with trapdoor For scaffolding length: 1.8 m



Order no.: 027913

Toe board front side
For scaffolding width:
0.75 m



Order no.: 027943

Toe board long side
For scaffolding length:
1.8 m



Order no.: 027937

Diagonal brace 1.8
m



Order no.: 027935

Horizontal strut
For scaffolding
length: 1.8 m



Order no.: 027926

Triangular
outrigger



Order no.: 027973

Swivel castor with
spindle height
adjustable Ø 125
mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with
hanging brackets
RAL 1021



Order no.: 019081

Clip tray for tubes
Ø 50 mm



Order no.: 027920

Wall spacer
adjustable
Adjustable up to
1.0 m



Order no.: 070506

Frame extension
can be clamped on
Adjustment range
max. 400 mm



Order no.: 019274

Storage tray 500 x
220 mm Clamping
range 38-51 mm



Order no.: 019276

Storage tray 800 x
300 mm Clamping
range 38-51 mm




Order no.: 019175

Inspection sticker
40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 019477

Automatic steel hinge for scaffolding folding frame



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 019137

Spring clip for mobile scaffolding with long pin, open



Order no.: 070524

Scaffolding strut telescopic 1,700-2,500 mm



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027905

Push-fit frame, 0.75 m. Height: 1.00 m