




Order no.: 031310

**Multi-function ladder 4-
section with nivello®
stabiliser 2x2 + 2x3 rungs**




Accessories for this product




Order no.: 030303

Aluminium
chequered plate
coating suitable for
031310 and 031312



Order no.: 019329

Accessory package
"Ergonomics"




Order no.: 030300

Wooden cover for
multi-function
ladders 4-section
suitable for order
no. 031310 and
031312



Order no.: 030301


Wooden cover for
multi-function
ladders 4-section
suitable for order
no. 031314



Order no.: 030304


Aluminium
chequered plate
coating suitable for
31314

Accessories for the product family




Order no.: 019326

Accessory package
"TRBS kit"




Order no.: 019324

Accessory package
"Secure footing"




Order no.: 019634

'roll-bar' retrofit kit




Order no.: 030305

Aluminium railing,
clamp-on for order
no. 031310, 031312
and 031314




Order no.: 019219

nivello® foot plate,
electrically
conductive for
depth of side-rail
58 / 73 mm




Order no.: 019213

nivello® foot plate
for gratings 126 x
89 mm
126 x 89 mm




Order no.: 019211

nivello® foot plate
for smooth surfaces
for depth of side-
rail 58 / 73 mm




Order no.: 019209

nivello® foot plate,
standard for depth
of side-rail 58 / 73
mm




Order no.: 019224

nivello® foot plate,
claw




Order no.: 030301

Wooden cover for
multi-function
ladders 4-section
suitable for order
no. 031314




Order no.: 030304

Aluminium
chequered plate
coating suitable for
31314




Order no.: 019901

MaxxStep step
module Length 276
mm




Order no.: 019115

Bucket hook for
edged step ladders
and rung ladders



Order no.: 019914

Side-rail extension
for ladder side-rail
for depth of side-
rail 58 mm



Order no.: 019925

Side-rail extension
for stabiliser bar
with width 930 mm
or 1,200 mm

