





Order no.: 063264

Ladder section galvanised steel 7 rungs

Accessories for this product



Accessories for the product family




Order no.: 068239
Connecting brace
Stainless steel



Order no.: 061236
Vertical ladder connector 200 mm
Cast aluminium




Order no.: 068236
Vertical ladder connector 200 mm
Edelstahl




Order no.: 063257
Wall anchor U-bracket, rigid
Wall clearance 150 mm




Order no.: 063259
Wall anchor U-bracket, rigid
Wall clearance 200 mm




Order no.: 063263
Wall anchor U-bracket, adjustable, 165–205 mm, galvanised steel
165–205 mm, galvanised steel



Order no.: 063260
Wall anchor U-bracket, adjustable, 200–275 mm, galvanised steel
200–275 mm, galvanised steel




Order no.: 063267
Wall anchor U-bracket, adjustable, 275–375 mm, galvanised steel
275–375 mm, galvanised steel




Order no.: 063275
Wall anchor U-bracket, adjustable, 375–500 mm, galvanised steel
375–500 mm, galvanised steel



Order no.: 063249
Rigid wall anchor 200 mm, galvanised steel
starr 200mm Stahl feuerverzinkt




Order no.: 063250
Wall anchor, adjustable, 165–205 mm, galvanised steel
165–205 hot-galvanised steel




Order no.: 063262
Wall anchor w. Clamping bracket, adjustable, 215–275 mm, galvanised steel
215–275 mm adjustment range Galvanised steel




Order no.: 063261
Wall anchor w. clamping bracket, adjustable 275–375 mm, galvanised steel
275–375 mm adjustment range Galvanised steel




Order no.: 063269
Wall anchor w. clamping bracket, adjustable 375–500 mm, galvanised steel
375–500 mm, galvanised steel




Order no.: 068249
Wall anchor, rigid, 200 mm, stainless steel




Order no.: 068250
Wall anchor, adjustable, 165-205 mm, stainless steel




Order no.: 068262
Wall anchor w. Clamping bracket, adjustable, 215-275 mm, stainless steel




Order no.: 068261
Wall anchor w. Clamping bracket, adjustable, 275-375 mm, stainless steel




Order no.: 063270
Special wall bracket, adjustment range 500-600mm, galvanised steel




Order no.: 063271
Special wall bracket, adjustment range 600-700mm, galvanised steel




Order no.: 063272
Special wall bracket, adjustment range 700-800mm, galvanised steel




Order no.: 063273
Special wall bracket, adjustment range 800-900mm, galvanised steel




Order no.: 064270
Special wall bracket, adjustment range 500-600mm, stainless steel




Order no.: 064271
Special wall bracket, adjustment range 600-700mm, stainless steel




Order no.: 064272
Special wall bracket, adjustment range 700-800mm, stainless steel



Order no.: 064273
Special wall bracket, adjustment range 800-900mm, stainless steel




Order no.: 063253
Ground attachment for base plate for vertical ladders galvanised steel



Order no.: 068253
Ground attachment for base plate for vertical ladders



Order no.: 063278
Wall anchor



Order no.: 063243
Exit side-rail straight Galvanised steel



Order no.: 063049

Exit side-rail
angled Galvanised
steel



Order no.: 063050

Exit side-rail with
railing attachment
Galvanised steel



Order no.: 062966

Exit step bright
aluminium
Clearance 100 mm



Order no.: 062967

Exit step bright
aluminium 150 mm
clearance



Order no.: 062968

Exit step bright
aluminium
Clearance 200 mm



Order no.: 062969

Exit step bright
aluminium
Clearance 250 mm



Order no.: 062970

Exit step bright
aluminium
Clearance 300 mm



Order no.: 063966

Exit step
galvanised steel
Clearance width
100 mm



Order no.: 063967

Exit step
galvanised steel
Clearance width
150 mm



Order no.: 063968

Exit step
galvanised steel
Clearance width
200 mm



Order no.: 063969

Exit step
galvanised steel
Clearance width
250 mm



Order no.: 063970

Exit step
galvanised steel
Clearance width
300 mm



Order no.: 063181

Roof parapet
bridge galvanised
steel 880 mm
clear length




Order no.: 063183

Roof parapet
bridge galvanised
steel special
length 1080 mm
clear length




Order no.: 063184

Roof parapet
bridge galvanised
steel special
length 1280 mm
clear length




Order no.: 063185

Roof parapet bridge galvanised steel special length 1480 mm clear length




Order no.: 063234

Ø 700 mm back protection hoop complete with mounting kit




Order no.: 063237

Back protection hoop lateral exit Galvanised exit with mounting kit




Order no.: 063963

Back protection hoop offset design Galvanised steel




Order no.: 070550

Access guarding Enclosure




Order no.: 063961

Transfer platform between ladder sections, Ø 700 mm Galvanised steel




Order no.: 063960

Intermediate platform, folding Galvanised steel




Order no.: 063499

Access guard can be hooked in Bright aluminium, height: 1,190 mm




Order no.: 063497

Access guard locking door




Order no.: 077530

Fall protection rail 1,40m with connecting strap, galvanised steel




Order no.: 077531

Fall protection rail 1,96m with connecting strap, galvanised steel




Order no.: 077532

Fall protection rail 2,80m with connecting strap, galvanised steel




Order no.: 019007

Identification plate for fall protection device for fall protection



Order no.: 019107

Identification sticker for fall protection device



Order no.: 019175

Inspection sticker 40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 063187

Roof parapet bridge galvanised steel special length 1880 mm clear length



Order no.: 063496

Access guarding - end door for climbing protection



Order no.: 063279

Wall anchor U-bracket, adjustable, 550-750 mm, galvanised steel



Order no.: 063280

Wall anchor U-bracket, adjustable, 750-950 mm, galvanised steel