




Order no.: 068264

Ladder section stainless  
steel 7 rungs Stainless  
steel

## Accessories for this product

---



## Accessories for the product family

---



Order no.: 068239

Connecting brace  
Stainless steel



Order no.: 068236

Vertical ladder  
connector 200 mm  
Edelstahl



Order no.: 068249

Wall anchor, rigid,  
200 mm, stainless  
steel



Order no.: 068250

Wall anchor,  
adjustable, 165–  
205 mm, stainless  
steel



Order no.: 068262

Wall anchor w.  
Clamping bracket,  
adjustable, 215–  
275 mm, stainless  
steel



Order no.: 068261

Wall anchor w.  
Clamping bracket,  
adjustable, 275–  
375 mm, stainless  
steel



Order no.: 064270

Special wall  
bracket, adjustment  
range 500-600mm,  
stainless steel



Order no.: 064271

Special wall  
bracket, adjustment  
range 600-700mm,  
stainless steel



Order no.: 064272

Special wall  
bracket, adjustment  
range 700-800mm,  
stainless steel



Order no.: 064273

Special wall  
bracket, adjustment  
range 800-900mm,  
stainless steel



Order no.: 068253

Ground attachment  
for base plate for  
vertical ladders



Order no.: 068243

Exit side-rail  
straight Stainless  
steel



Order no.: 068049

Exit side-rail  
angled V2A  
stainless steel



Order no.: 068050

Exit side-rail with  
railing attachment  
Stainless steel



Order no.: 068966

Exit step stainless  
steel Clearance  
100 mm




Order no.: 068967

**Exit step stainless steel 150 mm clearance**




Order no.: 068968

**Exit step stainless steel Clearance 200 mm**




Order no.: 068970

**Exit step stainless steel Clearance 300 mm**




Order no.: 068181

**Roof parapet bridge V2A stainless steel**




Order no.: 064183

**Roof parapet bridge stainless steel special length 1200mm**




Order no.: 064184

**Roof parapet bridge stainless steel special length 1400mm**




Order no.: 064185

**Roof parapet bridge stainless steel special length 1600mm**




Order no.: 068234

**Ø 700 mm back protection hoop with mounting kit**




Order no.: 068237

**Back protection hoop lateral exit Stainless steel exit with mounting kit**




Order no.: 068963

**Back protection hoop offset design Stainless steel V2A**




Order no.: 070550

**Access guarding Enclosure**




Order no.: 068961

**Transfer platform between ladder sections, Ø 700 mm V2A stainless steel**




Order no.: 068960

**Intermediate platform, folding Stainless steel V2A**




Order no.: 063499

**Access guard can be hooked in Bright aluminium, height: 1,190 mm**




Order no.: 063497

**Access guard locking door**




Order no.: 077550

Fall protection rail  
1,40m with  
connecting strap,  
stainless steel




Order no.: 077551

Fall protection rail  
1,96m with  
connecting strap,  
stainless steel




Order no.: 077552

Fall protection rail  
2,80m with  
connecting strap,  
stainless steel




Order no.: 019007

Identification plate  
for fall protection  
device for fall  
protection




Order no.: 019107

Identification  
sticker for fall  
protection device




Order no.: 019175

Inspection sticker  
40 x 40 mm




Order no.: 019176

Inventory sticker




Order no.: 068507

Roof parapet bridge  
with safety door  
and fall protection  
rail Stainless steel  
V2A




Order no.: 063507

Roof parapet bridge  
with safety door  
and fall protection  
rail Galvanised  
steel




Order no.: 063187

Roof parapet bridge  
galvanised steel  
special length 1880  
mm clear length




Order no.: 063496

Access guarding -  
end door for  
climbing protection



Order no.: 063279

Wall anchor U-  
bracket, adjustable,  
550-750 mm,  
galvanised steel



Order no.: 063280

Wall anchor U-  
bracket, adjustable,  
750-950 mm,  
galvanised steel