



Order no.: 930710

## Balcony bracket for solar panels, round handrail

Handrail (balcony railing)

round, max. 50 mm Ø

angular, max. 80 x 60 mm

### Specification

|                              |                              |                                       |   |                              |
|------------------------------|------------------------------|---------------------------------------|---|------------------------------|
| Product type<br>Kit          | Material<br>Aluminium        | Surface texture<br>Anodised aluminium | Anodising<br>Bright E6/EV4                        | Profile dimension X<br>30 mm |
| Profile dimension Y<br>30 mm | Module length<br>210 cm max. | Module width<br>120 cm max.           | Handrail (balcony railing)<br>round, max. 50 mm Ø | Weight<br>3 kg               |
| Order no.<br>930710          |                              |                                       |   |                              |

### Facts

- Balcony bracket for mounting a solar module
- Tilt angle individually adjustable without tools
- Slim anodised aluminium profiles
- Weatherproof and lightweight
- Mounting material for the solar module included

### Description

Easy and flexible assembly for your balcony power station: The MUNK profile technology bracket set allows quick fastening of PV modules to balconies, railings and fences, with an adjustable tilt angle for maximum energy yield.

Thanks to the adjustable tilt angle, you can align the modules perfectly and thus maximise your energy yield.

The brackets are made from elegant and sturdy aluminium profiles and offer high quality and a high degree of resistance to corrosion.

### Scope of supply

- Balcony bracket for round railing: 2 x
- Mounting material for solar module: 2 x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

### More product pictures

---

## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

