



Ergo platform with flap

Suitable for scaffolding length



2.45 m 3.0 m



Specification

Length	Width	Height	Suitable for Mobile scaffolding Folding scaffolding	Weight
1.89 m	610 mm	105 mm		10.8 kg
Transport dimensions 1895 x 610 x 105 mm, 11 kg	Business division MUNK Günzburger Steigtechnik	Order no. 027108	Price € 503.00	

Facts

- Scaffolding platform made of GFRP
- Less weight than standard platform (phenolic plywood)
- Easy assembly using round tube beams
- Note: Products with GFRP content are nonreturnable, due to their sensitivity; the statutory warranty applies (ageing resistance 10 years)



Scope of supply

Platform: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures







Corporate certifications

on sustainability criteria









