


Order no.: 027105

## Ergo platform without flap

Suitable for scaffolding length

**1.8 m** 2.45 m 3.0 m



### Specification

Length <b>1.9 m</b>	Width <b>600 mm</b>	Height <b>100 mm</b>	Suitable for <b>Mobile scaffolding</b>	Weight <b>10.4 kg</b>
Transport dimensions <b>1895 x 610 x 195 mm, 10.4 kg</b>	Business division <b>MUNK Günzburger Steigtechnik</b>	Order no. <b>027105</b>	Price <b>€ 441.00</b>	

### Facts

- Scaffolding platform made of GFRP
- Less weight than standard platform (phenolic plywood)
- Easy assembly using round tube beams
- Note: Products with GFRP content are non-returnable, due to their sensitivity; the statutory warranty applies (ageing resistance 10 years)

## Scope of supply

- Platform: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

