



Order no.: 111007

3-section rope ladder with supports DIN EN 1147 photoluminescent

Rung covering

Glow (yellow luminescent)

Standard (red)

Specification

Rescue height 12.2 m	Intended use Rescue	Ladder length retracted 5.6 m	Ladder length extended 14 m	Setting angle 70 °
Clear width between rungs 270 mm	Clear width, upper ladder 350 mm	Clear width, central ladder 420 mm	Clear width, lower ladder 420 mm	Outer width 500 mm
Ladder feet Steel point	Depth of side-rails 74	Step/Rung height 28 mm	Step depth 29 mm	Number of steps/rungs 3x 17 rungs
Max. load capacity 324 kg	Persons max. 3	Material Aluminium	Rung covering Glow (yellow luminescent)	Weight 85 kg
Transport dimensions 6155 x 580 x 245 mm, 85 kg	Business division MUNK Rettungstechnik	Order no. 111007		

Facts

- 3-section rope-extension ladder made of aluminium
- Rescue ladder compliant with DIN EN 1147

- With rope pulley, locking hook and rope brake
- Yellow luminescent, heat-insulating and non-slip plastic covering
- Supports made of aluminium tube with steel spikes and rubber jacketing
- 4-fold edged rung-to-side-rail connection
- Corrosion-resistant fixtures made of galvanised steel
- Lower ladder with steel spikes at the base
- Upper ladder with wall wheels
- Permissible load: 324 kg / 3 people

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures

Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

