



Order no.: 059203

**Platform stairs, with  
double-sided access, with  
spring-loaded castor  
corundum coating R13**



Number of steps

- 2x3
- 2x4
- 2x5
- 2x6
- 2x7
- 2x8

**Specification**

Working height <b>2.7 m</b>	Step design <b>Steps</b>	Number of steps/rungs <b>2x 3 steps</b>	Platform included as step <b>Yes</b>	Step/Platform surface <b>Corundum coating</b>
Non-slip class <b>R13</b>	Platform height <b>720 mm</b>	Height <b>1.72 m</b>	Platform length <b>800 mm</b>	Platform width <b>600 mm</b>
Step depth <b>200 mm</b>	Step/Rung distance <b>240 mm</b>	Inclination <b>60 °</b>	Depth of side-rails <b>57 mm</b>	Width of side-rails <b>24 mm</b>
Castor diameter <b>125 mm</b>	Base area length <b>1.51 m</b>	Base area width <b>770 mm</b>	Max. load capacity <b>150 kg</b>	Design type <b>Freestanding   Double-sided access   With castors</b>
Weight <b>30 kg</b>	Business division <b>MUNK Günzburger Steigtechnik</b>	Article no. <b>059203</b>	Price <b>€ 1,500.00</b>	

**Facts**

- Aluminium platform stairs double-sided
- Stable rectangular tube side-rails
- Steps with a depth of 200 mm
- Roomy platform (600 x 800 mm)

- Railing on both sides and knee and toe board for safe stance (height: 1,000 mm)
- Four Ø 125 mm self-locking swivel castors, 2 with locking device
- Easy to assemble (delivered unassembled)
- In accordance with DIN EN 131-7, handrails are optional for ascending platform ladders with an ascent angle  $\geq 60^\circ$
- Available in various step and platform designs
- Maximum load: 150 kg

### Scope of supply

- Platform stairs: 1 x
- Swivel castor: 4 x
- Instructions for use and operation: 1 x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Conical side-rail guide for safe stance
- Railings and knee boards for safe access and stance



### Castors

- Ergonomic and comfortable handling
- Simple movement from place to place



### Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



### Sponsored by BG BAU


Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit:

[www.bgbau.de/service/angebote/arbeitsschutzpraem](http://www.bgbau.de/service/angebote/arbeitsschutzpraem)

A brief overview of the subsidy and an overview of our eligible products can be found on our website under [know-how](#).


**BG BAU  
gefördert**  
0% der Anschaffungskosten bis Maximalbetrag

## Accessories




Order no.: 050111

Undercarriage for platform stairs




Order no.: 019273

Storage tray 623 / 495 x 220 mm




Order no.: 050124

Safety barrier for platform stairs




Order no.: 050123

Safety rope for platform stairs




Order no.: 050112

Spring-loaded castor for platform stairs




Order no.: 050113

Spring-loaded castor for platform stairs




Order no.: 050241

Railing, push-fit design




Order no.: 019247

Inside shoe electrically conductive for platform stairs




Order no.: 050121

Retrofit kit stainless steel swivel castors




Order no.: 019176

Inventory sticker




Order no.: 019175

Inspection sticker




Order no.: 050130

Safety door self-closing for landing stairs




Order no.: 050214

Handrail for platform stairs, with double-sided access



Order no.: 050224




Handrail, push-fit, left



Order no.: 050234

Handrail push-fit, right

## Spare parts



## Certificates



## Corporate certifications

---

on sustainability criteria

