



Work platform, mobile, step width 800 mm, grooved aluminium







Number of steps

2





5

Specification

Working height 2.4 m	Platform height 400 mm	Step/Platform surface Aluminium corrugated	Non-slip class R9	Base area 850 mm
Design type Single-sided access Rigid With castors	Number of steps/rungs 2 steps	Platform included as step Yes	Step width 800 mm	Max. load capacity 200 kg
Material Aluminium	Weight 17.5 kg	Transport dimensions 890 x 930 x 390 mm, 17.5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 050015
Price € 1,046.00				

Facts

- Aluminium work platform
- Particularly stable design using rectangular tube side-rails
- Platform depth: 460 mm
- Steps with a depth of 240 mm



- Expandable in 200 mm increments (on request)
- With two pushing handles as standard
- Easy to move to new locations thanks to two lifting castors, Ø 125 mm
- Non-slip plastic shoes
- Inclination: 45°
- Available in various step and platform designs
- Step spacing 200 mm
- Maximum load: 200 kg

Scope of supply

Platform: 1 x

Instructions for use and operation: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures











Added value

Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Sturdy designs for secure stance



Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



From small to large

- The right product for every application
- One-sided and two-sided variants



Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport





Corporate certifications

on sustainability criteria











5 / 5