

Order no.: 050430

## Work platform, mobile, step width 600 mm, steel grating



Number of steps

- 2
- 3
- 4
- 5

### Specification

|  |   |  |                              |                                     |
|--|---|--|------------------------------|-------------------------------------|
| Working height<br><b>2.4 m</b>   | Platform height<br><b>390 mm</b>        | Step/Platform surface<br><b>Steel grating</b>                | Non-slip class<br><b>R12</b> | Base area<br><b>850 mm</b>          |
| Design type<br><b>Single-sided access<br/>  Rigid   With<br/>castors</b> | Number of steps/rungs<br><b>2 steps</b> | Platform included as<br>step<br><b>Yes</b>                   | Step width<br><b>600 mm</b>  | Max. load capacity<br><b>200 kg</b> |
| Material<br><b>Aluminium  <br/>Galvanised steel</b>                      | Weight<br><b>23 kg</b>                  | Business division<br><b>MUNK Günzburger<br/>Steigtechnik</b> | Article no.<br><b>050430</b> | Price<br><b>€ 1,125.00</b>          |

### Facts

- Aluminium work platform
- Particularly stable design using rectangular tube side-rails
- Platform depth: 460 mm
- Steps with a depth of 240 mm
- Expandable in 200 mm increments
- With two pushing handles as standard
- Easy to move to new locations thanks to two lifting castors, Ø 125 mm

- Non-slip plastic shoes
- Inclination: 45°
- Available in various step and platform designs
- Step spacing 200 mm
- Maximum load: 200 kg

### **Scope of supply**

- Platform: 1 x
- Instructions for use and operation: 1 x

### **Information on sustainability criteria**

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Sturdy designs for secure stance



### Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



### Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



### From small to large

- The right product for every application
- One-sided and two-sided variants



### Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear




### Added ergonomics


- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport




## Accessories




Order no.: 300109  
Folding transport handle




Order no.: 050030  
Lifting castor mobile work platform




Order no.: 050027  
Front-side railing for mobile work platform




Order no.: 019168  
Information sticker for step stools / platforms without holding device




Order no.: 019176  
Inventory sticker



Order no.: 019175  
Inspection sticker



Order no.: 050140  
Push handle incl. heat shrink tubing



Order no.: 050023  
Railing, single-sided, for mobile work platform

## Corporate certifications

---

on sustainability criteria

