



Order no.: 041525

Retrofit kit clip-step for double-sided step ladder, with doublesided access

Set for ladders with

2x3 steps	2x4 steps	2x5 steps	2x6 steps
2x7 steps	2x8 steps	2x9 steps	
2x10 steps	2x12 step		
2x14 steps			

Specification

Product type Accessories	Length 351 mm	Width 85 mm	Height 23 mm	Step depth 80 mm
Suitable for ladder type Double-sided ladders	Set for ladders with 2x3 steps	Number of step paddings in the set 0 pcs.	Type of non-slip protection clip-step	Material Plastics
Weight 0.28 kg	Transport dimensions 351 x 96 x 23 mm, 0.28 kg	Business division MUNK Günzburger Steigtechnik	Order no. 041525	Price € 27.00
Spare part for article no. 041603				

Facts

 Live up to the increased requirements on work safety and provide for optimised non-slip protection, safe footing and a comfortable stance on our step ladders



- The step padding made of grooved plastic is clipped onto the step to cover the whole surface and is custom-fit; it can be removed again without damage to the ladder and leaving no residue
- The clip-step step padding is applied up to the max. accessible step as per DIN EN 131 in the case of step ladders accessible from both sides, thus functioning as a visual check that the ladder is being used correctly
- Available as single accessory for 11.00 EUR excl. VAT per piece (recommended retail price) for your step ladders

Scope of supply

Clip-step step padding: 2 x

Assembly instructions: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality



- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Corporate certifications

on sustainability criteria









