

Order no.: 030416

## Folding work platform



Model versions

2x3

## Specification

|                                                          |                                                      |                                            |                                        |                                                           |
|----------------------------------------------------------|------------------------------------------------------|--------------------------------------------|----------------------------------------|-----------------------------------------------------------|
| Working height<br><b>2.98 m</b>                          | Platform height<br><b>970 mm</b>                     | Platform length<br><b>1.86 m</b>           | Platform width<br><b>750 mm</b>        | Step/Platform surface<br><b>Aluminium tibial plate</b>    |
| Non-slip class<br><b>R10</b>                             | Design type<br><b>Double-sided access   Foldable</b> | Number of steps/rungs<br><b>2x 3 steps</b> | Platform included as step<br><b>No</b> | Step depth<br><b>65 mm</b>                                |
| Depth of side-rails<br><b>58 mm</b>                      | Max. load capacity<br><b>500 kg</b>                  | Material<br><b>Aluminium</b>               | Weight<br><b>28 kg</b>                 | Transport dimensions<br><b>2050 x 890 x 130 mm, 28 kg</b> |
| Business division<br><b>MUNK Günzburger Steigtechnik</b> | Order no.<br><b>030416</b>                           | Price<br><b>€ 1,032.00</b>                 |                                        |                                                           |

## Facts

- Stable aluminium design
- Easy and quick assembly thanks to four automatically locking hinges
- 65 mm deep, grooved steps for safe ascent and descent
- Spacious standing area (1.86 x 0.75 m) ensuring work is safe and comfortable

- Non-slip platform made of aluminium chequered plate
- Sufficient space for two persons plus material
- Easy to transport, compact storage
- Four integrated fastening eyes
- Optional railing with holders to increase safety at work
- Non-slip plastic shoes
- Surfaces of the platform made of grooved aluminium or with R13 non-slip protection on request
- Step spacing 243 mm
- Maximum load: 500 kg

### Scope of supply

- Working plank: 1 x
- Instructions for use and operation: 1 x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality

- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Safe working

- Large-format, non-slip platforms
- Sturdy designs for secure stance
- Optional railing for increased work safety




### Industrial grade

- Robust design for demanding applications
- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials



### Flexibility

- Easy to transport, space-saving in storage
- Sufficient space; depending on version for up to two persons plus working implements and material



### Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

