

Order no.: 019189

Link chain restraint

Model versions

Link chain restraint

Knot chain restraint



Specification

Product type Spare part	Length 2 m	Suitable for ladder type Double-sided ladders	Material Hot dip galvanized steel	Weight 0.64 kg
Transport dimensions 100 x 100 x 40 mm, 0.636 kg	Predecessor product 019528	Business division MUNK Günzburger Steigtechnik	Order no. 019189	Price € 102.00
Spare part for article no. 040114	Spare part for article no. 040109	Spare part for article no. 040107	Spare part for article no. 040108	Spare part for article no. 040110
Spare part for article no. 040112				

Facts

- Link chain restraint for double-sided ladders instead of polyester straps
- Length 2.0 m
- 1 set = 2 chains with fastenings

Scope of supply

- Chain restraint : 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures

Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

