

Order no.: 019189

## Link chain restraint

Model versions

Link chain restraint

Knot chain restraint



#### **Specification**

Product type  Spare part	Length 2 m	Suitable for ladder type Double-sided ladders	Material Hot dip galvanized steel	Weight <b>0.64 kg</b>
Transport dimensions 100 x 100 x 40 mm, 0.636 kg	Predecessor product 019528	Business division MUNK Günzburger Steigtechnik	Article no. <b>019189</b>	Price <b>€ 99.00</b>

#### **Facts**

- Link chain restraint for double-sided ladders instead of polyester straps
- Length 2.0 m
- 1 set = 2 chains with fastenings

## Scope of supply

Chain restraint : 1 x

### Information on sustainability criteria




Corporate certification: ISO 9001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

#### More product pictures





# **Corporate certifications**

on sustainability criteria









