

Order no.: 820015

Railing for rescue and working platform Premium



Specification

Railing height 950 mm	Outer width 1.7 m	Material Aluminium	Weight 8.5 kg	Business division MUNK Rettungstechnik
Order no. 820015				

Facts

- Aluminium railing
- Suitable for rescue platform
- Premium, part 116050, model year 2015 onward
- Easy to attach using locking bolts
- Scope of delivery: 1x railing, 4x locking bolts

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001

- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

