

Order no.: 115350

## Telescopic ladder red DIN EN 1147

Length [mm]

**3500** 4400



### Specification

Rescue height <b>2.2 m</b>	Intended use <b>Rescue</b>	Ladder length <b>3.5 m</b>	Ladder length retracted <b>800 mm</b>	Ladder length extended <b>3.5 m</b>
Setting angle <b>70 °</b>	Clear width between rungs <b>270 mm</b>	Outer width <b>500 mm</b>	Depth of side-rails <b>100 mm</b>	Width of side-rails <b>80 mm</b>
Step/Rung height <b>28 mm</b>	Step depth <b>29 mm</b>	Number of steps/rungs <b>11 rungs</b>	Max. load capacity <b>216 kg</b>	Persons max. <b>2</b>
Material <b>Aluminium</b>	Rung covering <b>Standard (red)</b>	Weight <b>13.5 kg</b>	Transport dimensions <b>940 x 560 x 130 mm, 13.5 kg</b>	Business division <b>MUNK Rettungstechnik</b>
Order no. <b>115350</b>				

### Facts

- Aluminium telescopic ladder
- Rescue ladder compliant with DIN EN 1147

- Abrasion-resistant anodised octagonal tube side-rails
- With heat-insulating, non-slip plastic coating (DE and THW (Federal Agency for Technical Relief) designs)
- Variable height adjustment via intuitive telescopic function (partial heights possible)
- Safety system for controlled retraction
- Minimises the risk of crushing and injury
- Permissible load: 250 kg / 2 people
- These products are covered by the statutory warranty

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

