



Order no.: REF-7248158

## Mobile container sealing

Reference model type

1

2

### Specification

Product type 1	Business division MUNK Rettungstechnik	Order no. REF-7248158
-------------------	--	--------------------------

### Facts

- For holding:
- 1x pipe sealing pad RDK 10/20
- 1x pipe sealing pad RDK 10/20
- 1x pipe sealing pad RDK 10/20
- 1x drain seal 1,000 x 1,000 mm magnetic
- 5x drain seal (600x600 mm) magnetic
- 1x pipe sealing pad RDK 10/20
- 1x pipe sealing pad RDK 10/20
- 2x compressed air canister 6 l / 300 bar
- 2x drain seal "Gully-Stop"
- 1x Eurobox (600 x 400 x 335 mm) for storing 1x pressure reducer, 1x double control unit, 2x filling hose, 2x working line 20 m

## Scope of supply

- Mobile container: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---

## Added value

---

### Reference model

With our reference models, we provide you with a selection of individual roll containers to illustrate the variety and possibilities of our designs. We would also be happy to manufacture mobile containers for your needs - [please contact us!](#)

# Corporate certifications

on sustainability criteria

