



Order no.: REF-7226378

## Mobile container water damage

Reference model type

1

2

3

with power generator

## Specification

Product type <b>1</b>	Business division <b>MUNK</b> <b>Rettungstechnik</b>	Article no. <b>REF-7226378</b>
--------------------------	--	-----------------------------------

## Facts

- For holding:
- 1x electrical generator 2.6 kVA
- 1x water extractor Aquatix with accessories
- 1x fuel canister 5 l
- 1x cable reel 230 V
- 2x water squeegees
- 1x waste water pump Tegernsee
- 1x waste water pump Mini-Chiemsee B
- 2x pressure hose B75 20 m
- 2x pressure hose C52 15 m
- 1x compartment for holding dimensionally stable hoses
- 1x Eurobox (600 x 400 x 285 mm) for storing small material

## Scope of supply

- Mobile container: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Reference model

With our reference models, we provide you with a selection of individual roll containers to illustrate the variety and possibilities of our designs. We would also be happy to manufacture mobile containers for your needs - [please contact us!](#)

## Corporate certifications

---

on sustainability criteria

