

Order no.: 070987

Fixed mounting aid with castors



Number of steps

- 2
- 3
- 4
- 5

Specification

| | | | | |
|---|--|--|---|-------------------------------------|
| Platform height 400 mm | Top surface depth 300 mm | Top surface width 550 mm | Step/Platform surface Steel grating | Non-slip class R12 |
| Base area length 730 mm | Base area width 690 mm | Design type Rigid With castors Single-sided access | Number of steps/rungs 2 steps | Max. load capacity 150 kg |
| Material Aluminium Galvanised steel | Transport dimensions 610 x 682 x 400 mm, 11.5 kg | Business division MUNK Günzburger Steigtechnik | | |

Facts

- Aluminium climbing aid
- Sturdy, welded bar design
- 220 mm deep steps made of steel grating ensuring a secure footing
- Top tread surface: 550 x 300 mm
- Two lifting castors for easily moving to new locations (enclosed separately)
- Non-slip plastic shoes
- Step spacing 200 mm

Description

The fixed mounting aid with castors is the perfect solution for dynamic stable environments. With its steel-grate treads (R12), it offers superior grip and remains non-slip even on dirty or wet surfaces. Two integrated swivel wheels make it easy to transport – ideal for versatile use in stables or at equestrian events.

Key Benefits

- Maximum load: 150 kg
- **Maximum Mobility:** Practical castors allow effortless movement between locations without compromising stability.
- **Durable Quality:** Galvanised steel steps and a stable tubular frame ensure longevity and reliability, even under intensive use.
- **Ergonomic Design:** Thoughtfully spaced steps and large platforms (550 x 300 mm) provide comfort and safety during mounting.

Your Advantage

This version of the mounting aid excels in flexibility and stability. Whether in large stables or for mobile applications, the mounting aid with castors supports you in working efficiently while prioritising your horse's well-being.

Scope of supply

- Platform: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality

- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Sturdy designs for secure stance



Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



From small to large

- The right product for every application
- One-sided and two-sided variants



Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

