

Order no.: 012973

FlexxTower swivel castor Ø 125 mm



Specification

| | | | | |
|---|--|---------------------|------------------------------------|----------------------------|
| Length 250 mm | Width 105 mm | Height 465 mm | Suitable for Mobile scaffolding | Weight 3.8 kg |
| Transport dimensions 462 x 250 x 105 mm, 3.8 kg | Business division MUNK Günzburger Steigtechnik | Order no. 012973 | Price € 75.00 | Spare part for article no. |
| Spare part for article no. | | | | |

Facts

- Suitable for FlexxTower and FlexxTower SG
- Central load application
- With spindle for height adjustment

Scope of supply

- Swivel castor: 1 x
- Spindle: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures

Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

