



Order no.: 930603

# Swivel castor 125 mm with locking device

Diameter [mm]

125

## Specification

Castor diameter	Material	Weight/piece	Dimension A	Dimension B
125 mm	Galvanised steel	700 g	57 mm	57 mm
Dimension H 158 mm	Thickness t 32 mm	Order no. 930603		

#### **Facts**

- Pressed from sheet steel
- With two ball bearing arrangements in the slewing ring
- With "stop-fix" locking device
- Rim/wheel body made from high-quality, unbreakable polypropylene
- Tyre/tread made from high-quality thermoplastic rubber elastomer (TPE)
- Load-bearing capacity: 120 kg

## Description

The swivel castor is pressed from high-quality sheet steel and fitted with two ball bearing arrangements in the slewing ring. The "stop-fix" locking device prevents the castor from inadvertently rolling away. The rim and wheel body are made from unbreakable polypropylene, the tyre from high-quality thermoplastic rubber elastomer (TPE). With a load-bearing capacity of 120 kg, it can be used in a large number of constructions.



## Scope of supply

Swivel castor: 1 x

## Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures



## Corporate certifications

## on sustainability criteria









