

Order no.: 930603

## Swivel castor 125 mm with locking device

Diameter [mm]

125



### Specification

Castor diameter <b>125 mm</b>	Material <b>Galvanised steel</b>	Weight/piece <b>700 g</b>	Dimension A <b>57 mm</b>	Dimension B <b>57 mm</b>
Dimension H <b>158 mm</b>	Thickness t <b>32 mm</b>	Article no. <b>930603</b>		

### Facts

- Pressed from sheet steel
- With two ball bearing arrangements in the slewing ring
- With "stop-fix" locking device
- Rim/wheel body made from high-quality, unbreakable polypropylene
- Tyre/tread made from high-quality thermoplastic rubber elastomer (TPE)
- Load-bearing capacity: 120 kg

### Description

The swivel castor is pressed from high-quality sheet steel and fitted with two ball bearing arrangements in the slewing ring. The "stop-fix" locking device prevents the castor from inadvertently rolling away. The rim and wheel body are made from unbreakable polypropylene, the tyre from high-quality thermoplastic rubber elastomer (TPE). With a load-bearing capacity of 120 kg, it can be used in a large number of constructions.

## Scope of supply

- Swivel castor: 1 x

## More product pictures

---



## Corporate certifications

---

on sustainability criteria

