



Order no.: 116106

## 3-section rope- extension ladder with supports ÖNORM F4047

### Specification

Intended use <b>Rescue</b>	Ladder length retracted <b>6.1 m</b>	Ladder length extended <b>14 m</b>	Setting angle <b>70 °</b>	Clear width between rungs <b>265 mm</b>
Clear width, upper ladder <b>380 mm</b>	Clear width, central ladder <b>430 mm</b>	Clear width, lower ladder <b>490 mm</b>	Outer width <b>540 mm</b>	Stabiliser width <b>1.11 m</b>
Ladder feet <b>Spindle foot</b>	Compensation of floor unevenness <b>300 mm</b>	Depth of side-rails <b>90 mm</b>	Width of side-rails <b>25 mm</b>	Number of steps/rungs <b>3x 19 rungs</b>
Max. load capacity <b>326 kg</b>	Persons max. <b>3</b>	Material <b>Aluminium</b>	Weight <b>95 kg</b>	Transport dimensions <b>6116 x 1120 x 290 mm, 95 kg</b>
Business division <b>MUNK Rettungstechnik</b>	Order no. <b>116106</b>			

### Facts

- 3-section rope-extension ladder made of aluminium
- Rescue ladder compliant with ÖNORM F4047

- With rope pulley, locking hook and rope brake
- Supports made of aluminium tube with steel spikes and rubber jacketing
- Edged rung-to-side-rail connection
- Round rungs, Ø 34 mm
- Base widener with spindle adjustment mechanism and pointed support plates
- Corrosion-resistant fixtures made of galvanised steel
- Upper ladder with wall wheels
- Permissible load: 3 persons

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

