



Order no.: 116106

3-section rope- extension ladder with supports ÖNORM F4047

Specification

Intended use Rescue	Ladder length retracted 6.1 m	Ladder length extended 14 m	Setting angle 70 °	Clear width between rungs 265 mm
Clear width, upper ladder 380 mm	Clear width, central ladder 430 mm	Clear width, lower ladder 490 mm	Outer width 540 mm	Stabiliser width 1.11 m
Ladder feet Spindle foot	Compensation of floor unevenness 300 mm	Depth of side-rails 90 mm	Width of side-rails 25 mm	Number of steps/rungs 3x 19 rungs
Max. load capacity 326 kg	Persons max. 3	Material Aluminium	Weight 95 kg	Transport dimensions 6116 x 1120 x 290 mm, 95 kg
Business division MUNK Rettungstechnik	Order no. 116106			

Facts

- 3-section rope-extension ladder made of aluminium
- Rescue ladder compliant with ÖNORM F4047

- With rope pulley, locking hook and rope brake
- Supports made of aluminium tube with steel spikes and rubber jacketing
- Edged rung-to-side-rail connection
- Round rungs, Ø 34 mm
- Base widener with spindle adjustment mechanism and pointed support plates
- Corrosion-resistant fixtures made of galvanised steel
- Upper ladder with wall wheels
- Permissible load: 3 persons

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

