

Order no.: 116115

Adjustable base widener DIN EN 1147 and ÖNORM F4047



Specification

Outer width 1.17 m	Stabiliser width 1.1 m	Ladder feet Spindle foot	Compensation of floor unevenness 220 mm	Max. load capacity 230 kg
Persons max. 2	Material Aluminium	Weight 8.5 kg	Transport dimensions 1155 x 190 x 427 mm, 8.5 kg	Business division MUNK Rettungstechnik
Article no. 116115				

Facts

- Aluminium base widener
- Suitable for aluminium scaling ladder, lower section (not suitable for wooden ladders)
- For stability and to compensate for uneven floors
- Smooth-running spindles for adjusting the height (adjusting range of approx. 220 mm)
- Tool-free assembly using secure push-fit connections

- Corrosion-resistant fixtures made of galvanised steel


Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Accessories



Order no.: 820005

Holder, scaling
ladder aluminium
DIN EN 1147 and
ÖNORM F4047

Spare parts



Order no.: 820002

Blind rivets, flat
head, 4.8x11.5 for
holder



Order no.: 820005

Holder, scaling
ladder aluminium
DIN EN 1147 and
ÖNORM F4047

Corporate certifications

on sustainability criteria

