

Order no.: 115075

## Push-in railing for rescue and working platform



### Specification

Railing height <b>1.2 m</b>	Material <b>Aluminium</b>	Weight <b>6 kg</b>	Transport dimensions <b>1715 x 90 x 1215 mm, 6 kg</b>	Business division <b>MUNK Rettungstechnik</b>
Order no. <b>115075</b>				

### Facts

- Push-fit railing made of aluminium
- Suitable for rescue platform, part 115050
- Galvanised steel mounting parts
- Simple to mount using holders and locking pins
- Scope of delivery: 1 railing, 4 holders and 4 locking pins

### Information on sustainability criteria

- Corporate certification: ISO 9001

- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

