



Order no.: 040660

## 2-section step push-up extension ladder with nivello® stabiliser



Number of steps

2x7

2x9

11 + 10

14 + 10

### Specification

Working height <b>4.4 m</b>	Step design <b>Steps</b>	Number of steps/rungs <b>2x 7 steps</b>	Step depth <b>80 mm</b>	Step/Rung distance <b>263 mm</b>
Retracted length <b>2.21 m</b>	Extended length <b>3.62 m</b>	Inclination <b>70 °</b>	Outer width <b>420 mm</b>	Stabiliser width <b>930 mm</b>
Depth of side-rails <b>85 mm</b>	Width of side-rails <b>25 mm</b>	Design type <b>To lean against   2-part</b>	Weight <b>16.4 kg</b>	Transport dimensions <b>2210 x 500 x 200 mm, 16.4 kg</b>
Predecessor product <b>040640</b>	Business division <b>MUNK Günzburger Steigtechnik</b>	Article no. <b>040660</b>	Price <b>€ 637.00</b>	

### Facts

- Aluminium stepladder
- Stable rectangular tube side-rails
- Grooved steps with a depth of 80 mm
- 4-fold edged step-to-side-rail connection

- Simple height adjustment and safer locking from the front due to corrosion-resistant push-fit fittings on the sides
- Extra wide base area of 170 mm in depth in the overlap area of the lower and upper ladders
- Upper ladder with ladder head protection (Velcro tape) for fastening to gutters or similar.
- Lower ladder with nivello® stabiliser for extra stability and safe ascent (enclosed separately)
- Upper ladder with nivello® ladder shoes, as removable for individual use
- Step spacing: 263 mm
- Ladder width: 420 mm (without stabiliser)
- Ladder inclination: 70°
- Maximum load: 150 kg

### **Scope of supply**

- Ladder: 1 x
- Stabiliser (enclosed separately): 1 x
- Instructions for use and operation: 1 x

### **Information on sustainability criteria**

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems

- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



### Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



Optimum and smooth operation, thanks to easily accessible elements

- Simple height adjustment from rung to rung or from step to step
- Wall wheels on the upper part (from 14 rungs or more)
- Fittings with sliding guides
- Smooth-running rope pulley



### nivello® stabiliser

Extra safe, standards-compliant ascent for straight ladders over 3.0 m

- Extra wide stabiliser for even greater stability
- nivello® ladder shoes with patented 2-axis inclination technology, integrated work angle check and exchangeable foot plates
- Individually available as spare part



### **roll-bar retrofit kit**

- Rolling instead of carrying: ergonomic and convenient handling
- Simple, no-drill mounting on stabilisers
- User-friendly operation without bending down




The movable ladder shoe sets new standards in stability


[Learn more](#)




## Accessories




Order no.: 019325  
Accessory package "Secure footing outdoors"




Order no.: 019328  
Accessory package "Practical aids 2"




Order no.: 019309  
Accessory package "Ladder head protection, complete set"




Order no.: 019315  
Ladder head protection




Order no.: 019316  
Ladder head protection




Order no.: 019317  
Ladder head protection




Order no.: 019319  
Ladder head protection, gutter




Order no.: 019318  
Ladder head protection, beam




Order no.: 040344  
Ladder head protection, magnet




Order no.: 019310  
Ladder head protection, rung and step hole




Order no.: 019311  
Ladder head protection, rung and step hole




Order no.: 019312  
Ladder head protection, rung and step hole
















Order no.: 019634  
'roll-bar' retrofit kit



Order no.: 019213  
nivello® foot plate for gratings 126 x 89 mm





Order no.: 019114  
Gutter bracket



## Spare parts

---





## Corporate certifications

---

on sustainability criteria

