


Order no.: 011204

## Clamp holder



### Specification

Weight <b>0.12 kg</b>	Transport dimensions <b>85 x 78 x 50 mm, 0.122 kg</b>	Business division <b>MUNK Günzburger Steigtechnik</b>	Order no. <b>011204</b>	Price <b>€ 16.00</b>
--------------------------	--	--	----------------------------	-------------------------

### Facts

- For attaching and securing of roof ladders on the lower roof hook
- Easy installation and secure fixation of the roof ladder
- Optimal protection against ladder slipping or sliding
- V4A (1.4571) stainless steel

### Scope of supply

- Clamp holder: 1 x
- Assembly instructions and instructions for use: 1 x

### Information on sustainability criteria

- 
- Corporate certification: ISO 9001
  - Corporate certification: EN 1090
  - Corporate certification: EcoVadis
  - RoHS
  - REACH
  - The MUNK Group complies with a Code of Conduct
  - The Supply Chain Act does not apply due to our size
  - The materials used are listed in the technical specification
  - Resource-saving production: own photovoltaic systems
  - Energy-efficient consumption during production: LED lighting
  - Repairability, durability and quality: 15-year warranty on series products made in Germany
  - Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
  - Socially acceptable working conditions in production: fair wages, gender equality
  - Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
  - No health hazards for the users

## More product pictures

---



## Added value

---

### Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

