

Order no.: 930610

Joint edge profile



Specification

Material	Weight per metre	Groove size	Dimension A	Dimension B
Plastics	28 g/m	8 mm	6 m	34 mm
Dimension C 11.9 mm	Dimension D 5.5 mm	Order no. 930610		

Facts

- Plastic insert for mounting in profile slot (pushing/hammering in)
- Serves as a protective edge on frames, doors and fixtures
- Abrasion-resistant surface
- Available in different lengths. Specify the length you require when you place your order
- Colour: black

Description

The joint edge profile is a plastic insert that is inserted into the profile slot. It serves as a protective edge on frames, doors and fixtures and has an abrasion-resistant surface. The joint edge profile is available in different lengths and can be ordered in the length required.



Scope of supply

 Joint edge profile, cut to the required length (max. 6 m): 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria









