



Order no.: 019280

# Attachable section "Window cleaner"

Fits for

Rung ladders

Step ladders

### **Specification**

| Product type Accessories                             | Length<br><b>1.01 m</b>      | Width<br>278 mm              | Depth of side-rails <b>73 mm</b> | Width of side-rails<br>25 mm                      |
|--|------------------------------|------------------------------|----------------------------------|---|
| Suitable for ladder type Rung ladders                | Castor diameter 100 mm       | Material<br><b>Aluminium</b> | Weight<br><b>3.55 kg</b>         | Transport dimensions 1013 x 285 x 153 mm, 3.55 kg |
| Business division<br>MUNK Günzburger<br>Steigtechnik | Article no.<br><b>019280</b> | Price<br><b>€ 218.00</b>     |                                  |   |

#### **Facts**

- With castors and contact rubber pad
- Suitable for straight, push-up extension and rope-extension ladders with rungs for use as window cleaner's ladder
- Secured by plug-in hook fastening with locking device



## Scope of supply

Attachable section: 1 x

## Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

#### More product pictures





# **Corporate certifications**

on sustainability criteria









