

Order no.: 050127

Self-closing safety door for platform ladder



Specification

Product type Accessories	Width 600 mm	Height 600 mm	Material Aluminium	Weight 2.4 kg
Transport dimensions 600 x 250 x 150 mm, 2.4 kg	Business division MUNK Günzburger Steigtechnik	Article no. 050127	Price € 219.00	

Facts

- Self-closing security door
- Closing mechanism with torsion springs in the hinges
- For safe access and standing on the platform
- Suitable for mobile-folding platform ladders (except GRP)
- Not suitable for GRP
- Can be used as an alternative to a safety rope
- Suitable for subsequent (self-)installation
- Mounting on the handrail by clamping bracket (no drilling required)

- We perform modifications and additions, e.g. installation of castors, hooks, cross tubes, chains etc. at a flat-rate charge of 51.00 euros excluding VAT (recommended retail price) per modification. A comprehensive range of tried-and-trusted accessories will make your working equipment even safer and more practical to use.

Scope of supply

- Aluminium bracket: 2 x
- Installation material: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria

