

Order no.: 019844

# attachment bracket for ladder



## **Specification**

Product type Accessories	Length	Width	Height	Material
	<b>475 mm</b>	<b>156 mm</b>	<b>70 mm</b>	Galvanised steel
Weight <b>1.14 kg</b>	Transport dimensions 468 x 170 x 70 mm, 1.14 kg	Business division MUNK Günzburger Steigtechnik	Order no. <b>019844</b>	Price <b>€ 53.00</b>

#### **Facts**

- Optimized for secure and stable ladder fixation
- High load-bearing capacity and stability in use
- Wall distance 160 mm, outer width 475 mm, tube Ø 25 mm
- Galvanised steel



### Scope of supply

Attachment bracket: 1 x

#### Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



# More product pictures







# **Corporate certifications**

on sustainability criteria









