

Order no.: 019900

Hook-in platform R13 for rung ladders



Specification

| | | | | |
|------------------------------|------------------|---|--|--|
| Product type Accessories | Width 282 mm | Step width 260 mm | Step depth 300 mm | Suitable for ladder type Rung ladders |
| Material Aluminium coated | Weight 3.9 kg | Transport dimensions 480 x 310 x 155 mm, 3.9 kg | Business division MUNK Günzburger Steigtechnik | Order no. 019900 |
| Price € 86.00 | | | | |

Facts

- Suitable for rung ladders
- Made of powder-coated aluminium
- For comfortable and fatigue-free standing for working in accordance with TRBS 2121 Part 2
- Work safety to the highest non-slip class R 13 thanks to the aluminium oxide particles in the platform surface
- Maximum load: 150 kg

Scope of supply

- Platform: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures

Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

