



Order no.: 033012

Double-sided rung ladder



Number of rungs

2x6

2x8

2x10

2x12

2x14

2x16

Specification

Working height 3.05 m	Step design Rungs	Number of steps/rungs 2x 6 rungs	Step/Rung height 30 mm	Step depth 30 mm
Step/Rung distance 280 mm	Type of non-slip protection Aluminium corrugated	Height 1.73 m	Ladder length 1.83 m	Base spread 1.07 m
Inclination 70 °	Lower outer width 530 mm	Depth of side-rails 58 mm	Width of side-rails 25 mm	Max. load capacity 150 kg
Design type Freestanding Double-sided access	Weight 7.5 kg	Transport dimensions 1813 x 525 x 177 mm, 7.5 kg	Business division MUNK Günzburger Steigtechnik	Article no. 033012
Price € 275.00				

Facts

- Double-sided rung ladder made of aluminium
- Stable rectangular tube side-rails

- Rectangular rungs grooved on both sides, 30 x 30 mm
- 4-fold edged rung-to-side-rail connection
- Conical side-rail guide for safe stance
- nivello® ladder shoes with patented 2-axis inclination technology
- Solid, galvanised steel hinges with screw attachment
- Plastic end caps on upper side-rail end
- Spreader lock with two high-strength polyester straps
- Rung distance: 280 mm
- Transport securing straps
- Maximum load: 150 kg

Scope of supply


- Ladder: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.

- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Industrial grade


Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories




The movable ladder shoe sets new standards in stability

[Learn more](#)




Note: Working heights

- National regulations (e.g. TRBS 2121 Part 2 in Germany) must be complied with with regard to the maximum working height when using the ladder as a workstation.
- Information on [TRBS 2121 Part 2](#) has been summarised on our Service page
- Read our [tips and tricks](#) on how to calculate [working height](#)




Accessories




Order no.: 019327

Accessory package "Practical aids 1"




Order no.: 019326

Accessory package "TRBS kit"




Order no.: 019324

Accessory package "Secure footing"




Order no.: 019325

Accessory package "Secure footing outdoors"




Order no.: 019902

MaxxStep step module




Order no.: 019270

Storage tray for double-sided rung ladder




Order no.: 019115

Bucket hook




Order no.: 019900

Hook-in platform R13 for rung ladders




Order no.: 019910

Hook-in step R13 for rung ladders




Order no.: 019176

Inventory sticker




Order no.: 019175

Inspection sticker




Order no.: 019224

nivello® foot plate, claw




Order no.: 019213

nivello® foot plate for gratings 126 x 89 mm




Order no.: 019211

nivello® foot plate for smooth surfaces




Order no.: 019219

nivello® foot plate, electrically conductive




Order no.: 019940

Ground spikes for ladders with nivello ladder shoe




Order no.: 019189

Link chain restraint




Order no.: 019188

Knot chain restraint




Order no.: 030296

Push-fit handrail for rung/step spacing 280/263 mm




Order no.: 019839

Wall-mounted ladder holder L




Order no.: 019914

Side-rail extension for ladder side-rail



Order no.: 019846

Screw-on castors



Order no.: 019215

nivello® inside shoe, electrically conductive

Spare parts



Order no.: 019140

Information sticker for double-sided ladders with double-sided access



Order no.: 019262

Ladder hinge for rung stepladders made of aluminium or GRP/aluminium



Order no.: 019205

nivello® inside shoe



Order no.: 019209

nivello® foot plate, standard



Order no.: 019429

Spreader lock



Order no.: 019411

Corner strut



Order no.: 019232

Side-rail cover cap, straight



Order no.: 019283

Side-rail cover cap, round



Order no.: 019271

Tool tray for double-sided rung ladder

Certificates



17KFP1657-02 -
Test Certificate
"Bauart geprüft"

Valid in



DIN EN 131-
3:2007
PAK-
ANFORDERUNG
FÜR GS -
ABSCHNITT
3.1(PAH-
REQUIREMENT
FOR GS - CL. 3.1)
AFPS GS 2014:01
PAK
EK5-AK1 17-
02:2017
DIN EN 131-1:2016
DIN EN 131-2:2017

Corporate certifications

on sustainability criteria

