

Order no.: 055002

Folding steps



Number of steps

2

3



Specification

Working height 2.4 m	Height of the top step 420 mm	Top surface depth 205 mm	Top surface width 360 mm	Step/Platform surface Aluminium corrugated
Non-slip class R9	Number of steps/rungs 2 steps	Platform included as step Yes	Step width 360 mm	Step depth 205 mm
Base spread 540 mm	Outer width 550 mm	Max. load capacity 150 kg	Material Aluminium	Weight 5 kg
Transport dimensions 780 x 550 x 95 mm, 5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 055002	Price € 314.00	

Facts

- Aluminium folding steps
- Stable and smooth-running folding mechanism
- Design with strong double slide-rails
- 205 mm deep steps with grooves for a secure footing

- Top tread area: 360 x 205 mm
- Easy to transport, compact storage
- Non-slip plastic shoes
- Just 85 mm deep when folded
- Maximum load: 150 kg
- These products are covered by the statutory warranty

Scope of supply

- Step stool: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures

Added value

Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



From small to large

- The right product for every application
- One-sided and two-sided variants



Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

